



**Roca**

# CC Mosaics



CC Mosaics White 1"x1" Hexagon



CC Mosaics Black 2"x2" Hexagon



# CC Mosaics

## Glazed Porcelain Mosaics

5-6" |  | 12"x12"  
30x30 cm



**White Matte 1"x1"  
Hexagon**  
12"x12" Mosaic  
UFCC104-12MT



**White Matte  
2"x2" Hexagon**  
12"x12" Mosaic  
UFCC102-12MT



**Black Matte  
2"x2" Hexagon**  
12"x12" Mosaic  
UFCC103-12MT



**White & Black  
1"x1" Matte Hexagon**  
12"x12" Mosaic  
UFCC105-12MT



**White Penny Round**  
12"x12" Mosaic  
Bright / UFCC108-12MT  
Matte / UFCC109-12MT



CC Mosaics White Matte 12"x12 Mosaic"

# CC Mosaics

## Glazed Porcelain Mosaics

### Technical Specifications (Floor)

CHARACTERISTICS	STANDARD	DECLARED ASTM									
		Penny Round Bright	Penny Round Matte	Octagonal	1x1 Squares	1x1 Hexagon	2x2 Hexagon	Pin Wheel	Basket Weave	Lantern, Diamond Herringbone, Brick	
Water Absorption	C373	<=0.5%	<=0.5%	<=0.5%	<=0.5%	<=0.5%	<=0.5%	<=0.5%	<=0.5%	<=0.5%	<=0.5%
Break Strength	C648	Min. 290	Min. 290	Min. 290	Min. 290	Min. 290	Min. 290	Min. 290	Min. 290	Min. 290	Min. 290
Scratch Hardness	MOH's Scale	3	3	3	3	3	3	3	3	3	2
Chemical Resistance	C650	Unaffected	Unaffected	Unaffected	Unaffected	Unaffected	Unaffected	Unaffected	Unaffected	Unaffected	Unaffected
Frost Resistance	C1026	Resistant	Resistant	Resistant	Resistant	Resistant	Resistant	Resistant	Resistant	Resistant	Resistant
Group	See FAQ's	3	3	3	3	3	3	3	3	3	2
Deep Abrasion - Unglazed Tiles	C1243	-	-	-	-	-	-	-	-	-	-
PEI - Glazed Tiles	C1027	2-3-4-5*	4-5**	4	4-2 (Black)	4-2 (Black)	4-2 (Black)	4	4-2(Black)	4-2(Black)	2
Minimum Bond Strength (PSI)	C482	165	165	165	165	165	165	165	165	165	165
Dynamic Coefficient of Friction (DCOF)	A1371	<=0.21	<=0.36	<=0.32	<=0.32	<=0.30	<=0.40	<=0.32	<=0.32	<=0.32	<=0.21
Shade and Texture Rating	CTDA "V"	V2	V2	V2	V2	V2	V2	V2	V2	V2	V1
Facial Dimensions	C499	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass
Range of Thickness	C499	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass
Warpage	C485	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass
Wedging	C502	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass

\* PEI for Black is 2, Cobalt is 3, Gray is 4 and White is 5 - Bright finishes only

\*\* PEI For Gray is 4 and White is 5 - Matte finishes only

### Packaging Info

Size	SF per carton	PC per carton
Penny Round	19.93	20
1"x1" Hexagon	16.79	20
2"x2" Hexagon	19.81	20