



Roca

Statuary

Statuary

Statuary, the spirit of marble. A contemporary take on natural Italian marble setting new standards in styles and trends whilst conserving all its prestige and quality. A faithful ceramic adaptation of the marble par excellence. The same texture, the same aesthetic effect, but with more design input and enhanced functionality.



Statuary Unpolished

Glazed & Polished Porcelain


◇ ▣ 24"x48" R - 24"x24" R - 12"x24" R



Statuary PO



Statuary Polished 12"x24" R PO



Statuary 12"x24" UP

Statuary

Glazed & Polished Porcelain



24"x48" R 24"x24" R 12"x24" R
60x120 cm 60x60 cm 30x60 cm




Statuary Unpolished



24"x48" R
USTAUUP1LBV



24"x24" R
UFSTUP101R-24




12"x24" R
UFSTUR101-1224



Statuary Polished



24"x48" R
USTABPO2448R



24"x24" R
UFST100-24PO



12"x24" R
UFST100-1224PO

Statuary

Glazed & Polished Porcelain

Technical Specifications

| CHARACTERISTICS | STANDARD | DECLARED ASTM | |
|--|-------------|---------------|------------|
| | | Polished | Unpolished |
| Water Absorption | C373 | <=0.5% | <=0.5% |
| Break Strength | C648 | Min. 335 | Min. 335 |
| Scratch Hardness | MOH's Scale | 3 | 5 |
| Chemical Resistance | C650 | Unaffected | Unaffected |
| Frost Resistance | C1026 | Resistant | Resistant |
| Group | See FAQ's | 4 | 4 |
| Deep Abrasion - Unglazed Tiles | C1243 | Pass | Pass |
| PEI- Glazed Tiles*** | C1027 | 4 | 4 |
| Minimum Bond Strength (PSI) | C482 | 165 | 165 |
| Dynamic Coefficient of Friction (DCOF) | A137.1 | <0.42 | >=0.42 |
| Shade and Texture Rating | CTDA "V" | V3 | V3 |
| Facial Dimensions | C499 | Pass | Pass |
| Range of Thickness | C499 | Pass | Pass |
| Warpage | C485 | Pass | Pass |
| Wedging | C502 | Pass | Pass |

Packaging Info

| Size | SF per carton | PC per carton | BX per pallet |
|--------------|---------------|---------------|---------------|
| 12"x24" PO | 18.94 | 10 | 32 |
| 12"x24" R UP | 19.38 | 10 | 36 |
| 24"x24" R PO | 19.05 | 5 | 30 |
| 24"x24" R UP | 15.50 | 4 | 36 |
| 24"x48" R | 22.96 | 3 | 28 |