



Greenland

DUNE
UNIQUE MATTERS

Roca



GLAZED PORCELAIN

Greenland

Inspired by the fascinating landscapes of Greenland, Greenland, the largest series in Shelter, offers a palette of six earth and water tones that capture the essence of these environments. With spectacular technical quality and colors, this series stands out for its material richness and versatility, transforming any space into a work of natural art.

Glazed Porcelain

 24"x48"R 12"x24"R 12"x12" Mosaic

Baltic Sand 24"x48" R / 12"x24" R / 12"x12" Mosaic



Baltic Tan 24"x48"R / 12"x12" Mosaic



Baltic Granite 12"x24" R



Baltic Sand 12"x24"R / 12"x12" Mosaic

8-8.5mm


6"x6"

14.7x14.7 cm



Frost

6"x6" Matte Anti-Slip




Teal

6"x6" Matte Anti-Slip



Clay

6"x6" Matte Anti-Slip



Cobalt

6"x6" Matte Anti-Slip



Cobalt Matte Anti-Slip 6"x6"

8-8.5mm

6"x6"

14.7x14.7 cm


2.5"x9"

6.4x22.3 cm



Frost

6"x6" Bullnose Matte Anti-Slip




Teal

6"x6" Bullnose Matte Anti-Slip



Clay

6"x6" Bullnose Matte Anti-Slip




Cobalt

6"x6" Bullnose Matte Anti-Slip



Frost

2.5"x9" Bright



Teal

2.5"x9" Bright



Clay

2.5"x9" Bright



Cobalt

2.5"x9" Bright

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Dimensions	ISO-10545-2	± 0.6%
Water Absorption	ISO-10545-3	E≤0.5%
Resistance to Surface Abrasion	ISO-10545-7	Class 3
Chemical Resistance	ISO-10545-13	GLA
Flatness	ISO-10545-2	± 0.5%
Resistance to Stains	ISO-10545-14	5
Slip Resistance	41901 EX	Class 1
Breaking Strength	ISO-10545-4:9	≥350 lbf
Resistance to Thermal Shock	ISO-10545-9	Accomplish
Slip Resistance	DIN 51130	R10

Packaging Info

Size	SF per carton	PC per carton	BX per pallet
6"x6"	44	10.26	56
6"x6" Bullnose	44	10.26	70
2.5"x9"	32	4.92	102